



# ACVIM

As far as you want to go.

**FOR IMMEDIATE RELEASE**

September 14, 2007

**MEDIA CONTACT:**

Jenn Armbruster

*Communications & Media Relations Manager*

303.231.9933 or [Jennifer@ACVIM.org](mailto:Jennifer@ACVIM.org)

**POTENTIAL NEW THREAT TO PETS: UPDATED INFORMATION FOR VETERINARIANS**

LAKWOOD, Colo. – The American Veterinary Medical Association (AVMA) has recently been made aware of several complaints from pet owners and veterinarians that multiple brands of jerky treats manufactured in China have been making pets sick. On Thursday, September 13<sup>th</sup> they posted a Media Alert to their website at [www.AVMA.org](http://www.AVMA.org). Symptoms of illness have included vomiting, diarrhea, and lethargy. To their knowledge, no deaths have been reported.

The Food and Drug Administration (FDA) is currently testing these treats to see if a contaminant can be found. So far they have ruled out melamine, one of the chemicals that led to the massive pet food recall this spring, but have yet to identify anything that might be making pets sick.

While a list of brand/product names of affected treats is not yet available, the AVMA has learned that all complaints have involved jerky treats from China. They recommend that pet owners use their best judgment in this matter and continue to consult [www.AVMA.org](http://www.AVMA.org) for updates.

Diplomates in the **American College of Veterinary Internal Medicine (ACVIM)**, who work in the field of veterinary nephrology and urology, had become aware of an unusual number of dogs with very similar presenting complaints and clinico-pathologic testing results associated with the ingestion of jerky treats from a variety of brands. No cats have been reported to date.

They report that these are typically small dogs that present with a history of vomiting, lethargy and anorexia. They have all consumed jerky treats (mostly chicken jerky) within a few weeks prior to becoming anorexic. Physical examination has been relatively unremarkable. Blood chemistry in many of the cases has

- more-

revealed hypokalemia and mildly increased liver enzymes. Blood gas analysis indicated acidosis. Urinalysis has consistently shown glucosuria and granular casts. These findings suggested an acquired Fanconi syndrome. Fanconi screens on urine, when submitted, have been positive. The Metabolic Genetic Disease Testing Laboratory at the School of Veterinary Medicine at the University of Pennsylvania can run urine screens for generalized amino aciduria and lactic aciduria tests of Fanconi Syndrome and other causes of PRTA. Their website can be found at: <http://w3.vet.upenn.edu/research/centers/penngen/services/metaboliclab/fanconi/html>

The most common severe abnormalities appear to be acidosis and hypokalemia. Liberal potassium supplementation appears to be warranted during hospitalization and often needs to be continued orally after discharge. Most of the dogs did not require long term bicarbonate supplementation, although this should be considered based on repeated blood gas analyses. Azotemia does not appear to be a consistent finding and therefore cases will likely be missed in the absence of a urinalysis.

The vast majority of dogs have recovered from their acute disease. All clinical signs of disease including glycosuria have resolved in many of the patients within a few weeks of initial presentation.

The cause of this renal tubular/GI toxicity remains under investigation. Veterinarians should seek a thorough dietary history including treats when presented with a dog presenting with acute GI signs or PU/PD. Diagnostics should include a general blood screen and urinalysis. Treatment consisting of supportive care, electrolyte and blood gas monitoring should be instituted if this acquired Fanconi syndrome is identified.

For further recommendations and assistance on a case by case basis, veterinarians may wish to consult a small animal internist in the American College of Veterinary Medicine in their community. Please see [www.ACVIM.org](http://www.ACVIM.org) to locate a Diplomat.

###